This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

	Туре	Hits	Search Text	DBs	Time Stamp	Comm	Error Definitio	Err
$\overline{}$	BRS	39	3 display\$3) same (trench track)	USPAT; US-PGPUB	2004/04/13 13:41		ជ	0
	BRS	16	loor\$3 near3 display\$3) near10 (trench track)	USPAT; US-PGPUB	$: \cap \vdash$	•		0
	BRS	391	oor\$3 near3 display\$3) same (electronic ctrical computer processor data)	<u>e</u>	04/08/			0
	BRS	57	splay\$3 near3 (electronic\$4 electrical\$2)) r10 floor\$3	GB	04/			0
	BRS	443	splay\$3 near3 (electronic\$4 e r10 (pivot\$3 tilt\$3 angle\$1)	USPAT; US-PGPUB	2004/04/13 12:43			0
	BRS	П	((display\$3 near3 (electronic\$4 electrical\$2)) near10 floor\$3) and ((display\$3 near3 (electronic\$4 electrical\$2)) near10 (pivot\$3 tilt\$3 angle\$1))	USPAT; US-PGPUB	2004/C			0
	BRS	379	near3 (electronic\$4 near3 (pivot\$3 tilt\$	USPAT; US-PGPUB	2004/04/13 12:44			0
1	BRS	1617	s3 (electronic\$4 electri comer\$1 shopper\$1 promot	USPAT; US-PGPUB	2004/04/13 12:50			0
	BRS	22	ear3 (electronic\$4 electrical\$2)) \$1 near3 (pivot\$3 tilt\$3 angle\$1))) \$3 near3 (electronic\$4 electrical\$2)) \$7 customer\$1 shopper\$1 promotion\$1	USPAT; US-PGPUB	2004/04/13 12:45			0
	BRS	2278	<pre>r3 (electronic\$4 electri tomer\$1 shopper\$1 promot rcial business)</pre>	USPAT; US-PGPUB	2004/04/13 13:17			0
	BRS	32	/\$3 near3 (electronic\$4 el pplay\$1 near3 (pivot\$3 til pplay\$3 near3 (electronic\$ rerti\$7 customer\$1 shopper tail\$3 commercial busines	USPAT; US-PGPUB	2004/04/13 12:50			0
	BRS	ო	ar3 (electronic 1 near3 (pivot\$	USPAT; US-PGPUB	2004/04/13 13:28			0
i	BRS	1175	10 (adverti\$7 cus e\$1 retail\$3 com ilt\$3 angle\$1)	USPAT; US-PGPUB	2004/04/13 13:18			0
	BRS		ar3 (electronic\$4 electri 1 near3 (pivot\$3 tilt\$3 a	USPAT; US-PGPUB	2004/04/13 13:19			0
	BRS	106	<pre>splay\$1 near10 (adverti\$7 customer\$1 shopper\$1 otion\$1 sale\$1 retail\$3 commercial business)) (pivot\$3 tilt\$3 angle\$1)) same (floor\$1 nd aisle\$1)</pre>	USPAT; US-PGPUB	2004/04/14 09:24			0

	Type	Hits	Search Text	DBs	Time Stamp	Comm	Error Definitio	Err ors
16	BRS	1.5	nearl0 1 sale\$1 ot\$3 til	USPAT; US-PGPUB	2004/04/13			0
17	BRS	562	near10 sale\$1 \$1 tren ount\$3)	USPAT; 2004/ US-PGPUB 13:32	2004/04/13 13:32			0
18	BRS	48	(display\$1 near10 (adverti\$7 customer\$1 shopper\$1 promotion\$1 sale\$1 retail\$3 commercial business)) same ((track\$1 trench\$2) near2 (connect\$3 attach\$3 support\$3 mount\$3))	USPAT; US-PGPUB	2004/04/13			0
19	BRS	71	r3 (electronic electrical computer)) same ((track\$1 trench\$2) near2 ach\$3 support\$3 mount\$3))	USPAT; US-PGPUB	USPAT; 2004/04/13 US-PGPUB 13:34			0
2 0	BRS	Ŋ	r3 (electronic electrical computer) same ((track\$1 trench\$2) near2 ch\$3 support\$3 mount\$3)) and r10 (adverti\$7 customer\$1 shopper\$1 e\$1 retail\$3 commercial business)) trench\$2) near2 (connect\$3 attach\$3 \$3)))	USPAT; US-PGPUB	2004/04/13 13:34			0
21	BRS	0	ഉ	USPAT; US-PGPUB	2004/04/13 13:42			0
22	BRS	23	trench\$3 same track\$1	<u> </u>	2004/04/13 13:42		***************************************	0
23	BRS	64	.83,815.86).CCLS.) and .ab,ti,clm.	USPAT; US-PGPUB	2004/04/14 07:22	<u></u>		0
24	BRS	Н	5.83,815.86).CCLS.) and (((sens\$3 detect\$3 er\$1) near3 (nears vicinity proxim\$3 \$3 presence)) same (customer\$1 shopper\$1 people passersby child\$3))	USPAT; US-PGPUB	2004/04/14 307:26			0
25	BRS	179	detect\$3 transc roxim\$3 approac 11 shopper\$1 per and (display\$1 nslat\$4 rotat\$4	USPAT; 2004/04/ US-PGPUB 07:33	2004/04/14 07:33			0
26	BRS	3568	(display\$1 near3 (moving movable move\$5 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3))	USPAT; US-PGPUB	2004/04/14 07:35			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio	Err
Щ	BRS	27	(((sens\$3 detect\$3 transducer\$1) near3 (nears vicinity proxim\$3 approach\$3 presence)) same (customer\$1 shopper\$1 person\$1 people passersby child\$3) and ((display\$1 near3 (moving movable move\$5 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3)))	USPAT; 2004/ US-PGPUB 07:35	2004/04/14 07:35		1	0
	BRS	361	((display\$1 near3 orient\$6) not (display\$1 near3 (moving movable move\$5 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3))	USPAT; 2004/ US-PGPUB 07:55	2004/04/14			0
	BRS	354	t\$3 transducer\$1) near3 m\$3 approach\$3 presence) ear3 (moving movable movat\$4 shift\$4 pivot\$4)) s r3 (electronic\$4 electri 3 powered energiz\$3))) not (display\$1 near3 translat\$4 rotat\$4 shi1 e (display\$3 near3 (electri ed\$1 light\$3 flash\$3 pov	USPAT; US-PGPUB	USPAT; 2004/04/14 US-PGPUB 07:56			0
	BRS	2273	(display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3))	USPAT; 2004/ US-PGPUB 07:58	2004/04/14 07:58			0
	BRS	204	((sens\$3 detect\$3 transducer\$1) near3 (nears vicinity proxim\$3 approach\$3 presence)) and (display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3)))	USPAT; US-PGPUB	2004/04/14 07:59			0
	BRS	495	<pre>(display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (floor\$1 ground aisle\$1 walkway\$1 sidewalk\$1)</pre>	USPAT; 2004 US-PGPUB 08:0	2004/04/14 08:05			0
	BRS	11	(((sens\$3 detect\$3 transducer\$1) near3 (nears vicinity proxim\$3 approach\$3 presence)) and ((display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3))) and ((display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (floor\$1 ground aisle\$1 walkway\$1 sidewalk\$1))	USPAT; US-PGPUB	USPAT; 2004/04/14 US-PGPUB 08:03			0

	Туре	Hits	Search Text	DBs	Time Stamp	Comm	Error Definitio	Err
	BRS	2591	8 B	USPAT; US-PGPUB	2004/04/14 08:05		:	0
Щ	BRS	30	sducer\$1) near3 (nears oach\$3 presence)) and nt\$6 translat\$4 rotat\$4 (display\$3 near3 al\$2 led\$1 light\$3 flasme (floor\$1 ground aisl	USPAT; 2004/ US-PGPUB 08:06	2004/04/14 08:06			0
: 144 .	BRS	1493	(electronic\$4 electrical\$2 led\$1 powered energiz\$3)) near10 erti\$7 shopper\$1 customer\$1 rket\$1)	USPAT; US-PGPUB(2004/04/14 08:11			0
	BRS	207	transducer\$1) near3 (nears approach\$3 presence) and (electronic\$4 electrical\$2 led\$1 owered energiz\$3)) near10 rti\$7 shopper\$1 customer\$1 ket\$1))	USPAT; 2004, US-PGPUB 08:11	2004/04/14 08:12			0
	BRS	50	((display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3)) and ((display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3)) near10 (billboard\$1 adverti\$7 shopper\$1 customer\$1 retail\$3 supermarket\$1)	USPAT; US-PGPUB	2004/04/14 08:12			0
, p=4	BRS S	٢	transducer\$ pproach\$3 p electronic\$ ered energi i\$7 shopper t\$1)) and 4 rotat\$4 s r3 (electro \$3 powered electronic\$ ered energi i\$7 shopper	USPAT; US-PGPUB	2004/04/14 08:12			0
. 14 1	BRS	820	(display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3)) same ((sens\$3 detect\$3 transducer\$1) near3 (nears vicinity proxim\$3 approach\$3 presence))	USPAT; US-PGPUB	2004/04/14 08:15			0

	Туре	Type Hits	Search Text	DBs	Time Stamp Comm	Comm	Error Definitio n	E O N N N N N N N N N N N N N N N N N N
41	BRS	11	((display\$1 near3 (orient\$6 translat\$4 rotat\$4 shift\$4 pivot\$4)) same (display\$3 near3 (electronic\$4 electrical\$2 led\$1 light\$3 flash\$3 powered energiz\$3)) same ((sens\$3 detect\$3 transducer\$1) near3 (nears vicinity proxim\$3 approach\$3 presence))	USPAT; 2004/(US-PGPUB 08:15	USPAT; 2004/04/14 US-PGPUB 08:15			0
42	BRS	17	(back\$1to\$1back near3 display\$1) same (adverti\$7 customer\$1 shopper\$1 promotion\$1 sale\$1 retail\$3 commercial business super\$1market\$1)	USPAT; 2004/0 US-PGPUB 09:26	USPAT; 2004/04/14 US-PGPUB 09:26			0
43	BRS	0	<pre>back\$lto\$lback same (esl\$1 or (shelf adj label\$1))</pre>	USPAT; 2004/04 US-PGPUB 09:27	USPAT; 2004/04/14 US-PGPUB 09:27			0
44	44 BRS	0	(back\$lto\$lback near3 display\$1) and (esl\$1 or (shelf adj label\$1))	USPAT; 2004/ US-PGPUB 09:27	USPAT; 2004/04/14 US-PGPUB 09:27	•		0